



TEST REPORT



中国认可
国际互认
检测
TESTING
CNAS L0220

Number: GZHT90707232

Date: Jun 02, 2017

Applicant: HANGZHOU YUDU HARDWARE
CO.,LTD
NO.5 LIANSHENG ROAD,
WUCHANG,YUHANG,
HANGZHOU,CHINA
Attn: Mr. Eric Shang

Sample Description:

Three (3) pairs of submitted samples said to be Men's safety ankle boots in Black.


Standard : ASTM F2413-11
Size : US 9
Ref. No. : 201610
Shoe Type : High cut
Toe Cap : Steel
Vamp Lining : Non-woven fabric
Insert Plate : NA
Insole Material : Cotton fiber board
Insock Material : Eva+non-woven fabric
Sole Material : Rubber
Manufacturer : HANGZHOU YUDU HARDWARE CO.,LTD
Supplier : HANGZHOU YUDU HARDWARE CO.,LTD
Country Of Origin : China
Date Received/Date Test Started : May. 24, 2017
Date Final Information Confirmed: --

Test Result Please Refer To Attached Page(S).

Should you have any query on this report, you may contact at gzfootwear@intertek.com

Authorized By:
For Intertek Testing Services Shenzhen Ltd.
Guangzhou Branch

Huang Ning, Andy
Assistant General Manager



Page 1 Of 3

EC / joycelin

Intertek Testing Services Shenzhen Ltd, Guangzhou Branch

深圳天祥质量技术服务有限公司广州分公司

Room 02, 1-8/F. & Room 01, E101/E201/E301/E401/E501/E601/E701/E801,
No.7-2, Caipin Road, Guangzhou Science City, GETDD, Guangzhou, Guangdong, China
广州经济技术开发区科学城彩频路7号之二第1-8层02房、01房101、
E201、E301、E401、E501、E601、E701、E801
Tel: +86 208213 9001 Fax: +86 20 82089909 Postcode: 510663

3/F., Hengyun Building, 235 Kaifa Ave., Guangzhou
Economic & Technological Development District, Guangzhou,
China
中国广州经济技术开发区开发大道235号恒运大厦3楼
Tel: +86 20 83966868 Fax: +86 20 82228169 Postcode: 510730



中国认可
国际互认
检测
TESTING
CNAS L0220

Number: GZHT90707232

TEST REPORT

Tests Conducted (As Requested By The Applicant)

1 Impact Resistance For Whole Footwear (ASTM F2412-11, I/75)

		<u>ASTM F2413 Requirement</u>	<u>Pass/Fail</u>
	Interior Height Clearance		
Left:	23.0 mm	*	Pass
Left:	22.3 mm	*	Pass
Right:	22.3 mm	*	Pass

Remark: * = ≥ 12.7 mm

2 Compression Resistance For Whole Footwear (ASTM F2412-11, C/75)

		<u>ASTM F2413 Requirement</u>	<u>Pass/Fail</u>
	Interior Height Clearance		
Right:	21.4 mm	*	Pass
Right:	21.7 mm	*	Pass
Left:	22.0 mm	*	Pass

Remark: * = ≥ 12.7 mm

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.



TEST REPORT

Tests Conducted (As Requested By The Applicant)



中国认可
国际互认
检测
TESTING
CNAS L0220

Number: GZHT90707232

GZHT90707232



/ joycelin

Page 3 Of 3

Intertek Testing Services Shenzhen Ltd, Guangzhou Branch

深圳天祥质量技术服务有限公司广州分公司

Room 02, 1-8/F. & Room 01, E101/E201/E301/E401/E501/E601/E701/E801,
No.7-2, Caipin Road, Guangzhou Science City, GETDD, Guangzhou, Guangdong, China
广州经济技术开发区科学城彩频路7号之二第1-8层02房、01房101、
E201、E301、E401、E501、E601、E701、E801
Tel: +86 208213 9001 Fax: +86 20 82089909 Postcode: 510663

3/F., Hengyun Building, 235 Kaifa Ave., Guangzhou
Economic & Technological Development District, Guangzhou,
China
中国广州经济技术开发区开发大道235号恒运大厦3楼
Tel: +86 20 83966868 Fax: +86 20 82228169 Postcode: 510730