



Notified body N° 0075

## EC-TYPE EXAMINATION CERTIFICATE

The following model of Personal Protective Equipment has been subjected to an EC-type examination in accordance with the article 10 of the PPE Directive (89/686/EEC) and has been shown to satisfy the relevant provisions of the Directive.

**Certificate N°**

**0075/1265/162/03/13/0254**

Is given to the following model of personal protective equipment :

**Issued to :**

NANTONG JIADELI SAFETY PRODUCTS CO., LTD

SHUANGDIAN INDUSTRIAL PARK C, RUDONG COUNTY,JIANGSU  
PROVINCE, CHINA

CHINA

**Distributor :**

/

**Product reference :**

N1554

**Description :**

**PPE Type :**

**Protective gloves against mechanical risks.**

**Reference standard :**

**EN 388 : 2003.**

**Category :**

**II**

Full description of the PPE, reference rules verified in the context of the EC-type examination and information given on the product are detailed in the complete certificate.

**Issued in Lyon by** Lionel Gaudillere  
Head of CE marking

**Date of issue :** March 26th, 2013



In application of the Directive ref 89/686/EEC of the 21th December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decree N°92-765, 766 and 768 of the 29th July 1992 concerning the transposition of this Directive into French law. CTC is notified by decree of the Ministry of work of the 20th December 2010 and is registered under the number 0075 in OJEU.



4 rue Hermann Frenkel 69367 Lyon cedex 07 FRANCE  
Tel : 33.472.761.010 - Fax : 33.472.761.000 - email : ctclyon@ctcgroupe.com - www.ctc.fr  
Comité professionnel de développement économique cuir chaussure maroquinerie  
Siret 77564972600160 - code NAF 9412Z - TVA FR 88775649726





*In application of the Directive ref. 89/686/EEC of the 21<sup>st</sup> of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29<sup>th</sup> of July 1992 concerning the transposition of this Directive into French law,*

## **CTC**

4, rue Hermann Frenkel - 69367 Cedex 07 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : [ctclyon@ctcgroupe.com](mailto:ctclyon@ctcgroupe.com) - [www.ctc.fr](http://www.ctc.fr)

Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decrees of the Ministry of Work, Employment and Health of the 20<sup>th</sup> of December 2010,

registered under the number 0075, published in OJEC, delivers :

### **CE TYPE EXAMINATION CERTIFICATE** **0075/1265/162/03/13/0254**

To the following model of personal protective equipment :

\* protective glove against mechanical risks.

\* reference of the model : N1554

\* responsible for placing on the market :

**NANTONG JIADELI SAFETY PRODUCTS CO., LTD**

**SHUANGDIAN INDUSTRIAL PARK C, RUDONG COUNTY, JIANGSU PROVINCE,  
CHINA  
CHINA**

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on March 26th, 2013

Issued by Lionel GAUDILLERE



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

## 1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 01

Reference : N1554

Basic Model

Dated : MARCH, 2013

15 gauge grey nylon/spandex, coated with Micro-foam nitrile on palm

### Available sizes :

9/L 10/XL

### Visual description :



### Material :

	Colour	Material	Gauges	Thikness
PALM	black	micro-foam nitrile		
	grey	nylon/spandex	15	
BACK	grey	nylon/spandex	15	
LINING				
CUFF	grey	nylon/spandex	15	
BINDING	white	polyester		



## 2. PROTECTION SCOPE

**Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:**

- \* EN 420:2003+A1:2009 - General requirements for gloves and test methods
- \* EN 388:2003 - Protective glove against mechanical risks
- \* At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions)

**References of test reports performed in order to verify the compliance with the requirements of the technical rules :**

Laboratory	CTC Asia	CTC France	Other
EN 420	SH60166-12, SH60337-13		SH60166-12
Azo	SH60166-12, SH60337-13		
EN 388	SH60166-12, SH60322-13		

**Performance levels offered against mechanical risks (EN 388:2003) are:**

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
4	1	3	1

The levels of performance have been measured on the palm

### 3. MARKING

**Each glove is clearly marked with the following information:**

- \* Logo of the authorized representative:
- \* **CE** marking
- \* reference of the model: N1554
- \* size
- \* pictogram for mechanical risks followed by the performance levels
- \* information pictogram

**Marking example:**



## NANTONG JIADELI SAFETY PRODUCTS CO., LTD

# MANUFACTURER'S TECHNICAL FILE

<b>Reference of the product</b>	<b>:</b>	<b>N1554</b>
<b>Technical file index</b>	<b>:</b>	<b>01</b>
<b>Last update</b>	<b>:</b>	<b>MARCH, 2013</b>

## IDENTIFICATION

Reference of the product :	:	N1554
Technical file index :	:	01
Last update :	:	MARCH, 2013

### **CE Type Examination Applicant :**

NANTONG JIADELI SAFETY PRODUCTS CO., LTD  
SHUANGDIAN INDUSTRIAL PARK C, RUDONG COUNTY,JIANGSU  
PROVINCE, CHINA

CHINA

tel : +86 513 84610288

fax : +86 513 84618199

### **Manufacturer :**

NANTONG JIADELI SAFETY PRODUCTS CO., LTD  
SHUANGDIAN INDUSTRIAL PARK C, RUDONG COUNTY,JIANGSU  
PROVINCE, CHINA

CHINA

tel: +86 513 84610288

fax: +86 513 84618199

## GLOVE DESCRIPTION

### Glove description :

15 gauge grey nylon/spandex, coated with Micro-foam nitrile on palm

### Visual description:



### Available sizes :

Minimum length of glove (mm)	Sizes
250	9/L
260	10/XL

### Glove constitution :

	Reference	Colour	Material	Surfacic mass	Gauges	Thikness
PALM		black	micro-foam nitrile	350g/m2		
		grey	nylon/spandex	200g/m2	15	
BACK		grey	nylon/spandex	200g/m2	15	
LINING						
CUFF		grey	nylon/spandex	300g/m2	15	
BINDING		white	polyester			



## PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protection Equipment Directive (89/686/CE).

This glove is designed for mechanical risks.

It is a category II product.

## GENERAL REQUIREMENTS

### **Standard EN 420 : 2003 + A1 : 2009**

Dexterity : 5

PH of glove and lining is greater than 3.5 and lower than 9.5 : yes

Chromium VI lower than the detection limit : conform

Size : conform

At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions)

## SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

### **Mechanical hazard EN 388 : 2003**

Protection offered	Performance levels
Abrasion resistance	4
Blade cut resistance	1
Tear strength resistance	3
Puncture resistance	1

## TEST REPORTS

Laboratory	CTC Asia	CTC France	Other
EN 420	SH60166-12, SH60337-13		SH60166-12
Azo	SH60166-12, SH60337-13		
EN 388	SH60166-12, SH60322-13		

## MARKING - PACKAGING

### Information printed on the glove :

Logo of the authorized representative :

Logo 

Glove's reference : N1554

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

### Marking example :



### Method of marking on the glove :

screen printing on the back

### Packaging :

1pair per OPP, 12pairs per poly bag, 120 pairs per carton

## MEANS OF CONTROL

operate strictly according to ISO 9001: 2008



### CERTIFICATE OF REGISTRATION

The Management System of

#### Nantong Jiadeli Safety Products Co.,Ltd.

*Shuangdian Industrial Park, C. Rudong County, Jiangsu Province, P.R.China*

has been assessed by GIC and complying with

**ISO9001:2008**

For the following activities

**Manufacture and Service of Ordinary Labor Protective Gloves**

Date of Issue: **07 August 2012**      Date of Expiry: **06 August 2015**

Date of Initial Certification: **07 August 2012**

Certificate No.: **12Q2SZ687570R0M**

The maintenance of this certificate is subject to GIC regular surveillance audits and is validated by the conformity label. This certificate shall be used in conjunction with the <Surveillance Audit Conformity Notification> issued upon successful completion of every surveillance audit, and the Notification will state clearly the validity period of this certificate.



The validity of this certificate can be verified from the following website

[www.gicg.com.cn](http://www.gicg.com.cn)

**Guardian Independent Certification Ltd**

*Registered in England*

*Governor Avenue 202/24, Chislehurst Avenue London England EC2M 6BQ*

*Accredited by Member of the IAF MLA*



135360

045

## INSTRUCTION FOR USE

NANTONG JIADELI SAFETY PRODUCTS CO., LTD

SHUANGDIAN INDUSTRIAL PARK C, RUDONG COUNTY,JIANGSU PROVINCE, CHINA  
CHINA

Glove reference : N1554

Available sizes : 9/L 10/XL

### ***Glove description :***

15 gauge grey nylon/spandex, coated with Micro-foam nitrile on palm

THIS GLOVE IS A PERSONAL PROTECTIVE EQUIPMENT BELONGING TO THE CATEGORY II.

It meets the requirements of the Directive 89/686/CEE : innocuousness, comfort, solidity.

It has been subject to a CE type Examination performed by :

C.T.C. (0075)  
4, rue Hermann Frenkel  
69367 LYON Cedex 07  
FRANCE

### ***Applicable standards :***

The glove meets the requirements of the standard EN 420 « General requirements for work glove ». Dexterity : 5

Moreover, this glove has been designed for the following applications :



#### Application :

Mechanical hazard - EN 388



4131

Levels of performance

Abrasion resistance	4	(on 4 maxi)
Blade cut resistance	1	(on 5 maxi)
Tear resistance	3	(on 4 maxi)
Puncture resistance	1	(on 4 maxi)

### ***Protection limit :***

*The protection against risks or hazards which are not mentioned in this document is not warranted. The levels of performance mentioned are only valid for the palm of the glove. The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated. These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.*

*This glove shall not be in contact with fire.*

*Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.*

### ***Storage and cleaning notice***

*Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.*