

Notified body N° 0075

The following model of Personal Protective Equipment has been subjected to an EC-type examination in accordance with the article 10 of the PPE Directive (89/686/EEC) and has been shown to satisfy the relevant provisions of the Directive.

Certificate N°

0075/1120/162/02/13/0130

Is given to the following model of personal protective equipment:

Issued to:

SHANDONG XINGYU GLOVES CO.,LTD

MIDDLE YAOQIAN ROAD CHAOYANG DISTRICT GAOMI CITY

SHANDONG PROVINCE

**CHINA** 

Distributor:

Product reference:

PU3104

**Description:** 

PPE Type:

Protective gloves against mechanical risks.

Reference standard:

EN 388: 2003.

Category:

11

Full description of the PPE, reference rules verified in the context of the EC-type examination and information given on the product are detailed in the complete certificate.

Issued in Lyon by Lionel Gaudillere

Head of CE marking

Date of issue: February 14th, 2013



In application of the Directive ref 89/686/EEC of the 21th December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decree N°92-765, 766 and 768 of the 29th July 1992 concerning the transposition of this Directive into French law. CTC is notified by decree of the Ministry of work of the 20th December 2010 and is registered under the number 0075 in OJEU.









In application of the Directive ref. 89/686/EEC of the 21<sup>st</sup> of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29<sup>th</sup> of July 1992 concerning the transposition of this Directive into French law.

#### CTC

4,rue Hermann Frenkel - 69367 Cedex 07 - France
Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr
Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF
9412Z - TVA FR 88775649726

authorized by decrees of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers:

# CE TYPE EXAMINATION CERTIFICATE 0075/1120/162/02/13/0130

To the following model of personal protective equipment:

\* protective glove against mechanical risks.

\* reference of the model : PU3104

\* responsible for placing on the market

SHANDONG XINGYU GLOVES CO.,LTD

MIDDLE YAOQIAN ROAD CHAOYANG DISTRICT GAOMI CITY SHANDONG PROVINCE CHINA

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on February 14th, 2013

Issued by Lionel GAUDILLERE

NOTA: Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.



# 1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 01

Reference: PU3104

**Basic Model** 

Dated: FEBRUARY, 2013

13G black glove coated with black PU

Available sizes:

6/XS 7/S 8/M 9/L 10/XL 11/XXL

Visual description:



### Material:

	Colour	Material	Gauges	Thikness
	Black	PU		
PALM	Black	Nylon	13gauges/ inch	
BACK	Black	Nylon	13gauges/ inch	
LINING				
CUFF	Black	Nylon	13gauges/ inch	
BINDING	Black	Polyester		



# 2. PROTECTION SCOPE

# Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- \* EN 420:2003+A1:2009
- General requirements for gloves and test methods
- \* EN 388:2003
- Protective glove against mechanical risks
- \* At the date of certificate, the product is in compliance with Annex XVII of European REACh regulation (552/2009/EC and associated revisions)

# References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC Asia	CTC France	Other
EN 420	SH62092R1-12, SH62639-12		SH62092R1-12
Azo	SH62092R1-12		
EN 388	SH62092R1-12		

### Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
4	1	3	1

The levels of performance have been measured on the palm




### Each glove is clearly marked with the following information:

- \* Logo of the authorized representative:
- \* **C** € marking
- \* reference of the model: PU3104
- \* size
- \* pictogram for mechanical risks followed by the performance levels
- \* information pictogram

#### Marking example:

星字® XINGYII

ART. PU3104 SIZE: 10/XL



# SHANDONG XINGYU GLOVES CO.,LTD

# **MANUFACTURER'S TECHNICAL FILE**

Reference of the product : PU3104

Technical file index : 01

Last update : FEBRUARY, 2013

# **IDENTIFICATION**

Reference of the product : PU3104

Technical file index:

Last update: FEBRUARY, 2013

# **CE Type Examination Applicant:**

SHANDONG XINGYU GLOVES CO.,LTD

MIDDLE YAOQIAN ROAD CHAOYANG DISTRICT GAOMI CITY SHANDONG PROVINCE

CHINA

tel: 0086-536-2580700 fax: 0086-536-2586328

#### Manufacturer :

SHANDONG XINGYU GLOVES CO.,LTD

MIDDLE YAOQIAN ROAD CHAOYANG DISTRICT GAOMI CITY SHANDONG PROVINCE

#### CHINA

tel: 0086-536-2580700 fax: 0086-536-2586328

# **GLOVE DESCRIPTION**

# **Glove description:**

13G black glove coated with black PU

# Visual description:



# **Available sizes:**

Minimum length of glove (mm)	Sizes
220	6/XS
230	7/S
240	8/M
250	9/L
260	10/XL
270	11/XXL

# **Glove constitution:**

	Reference	Colour	Material	Surfacic mass	Gauges	Thikness
		Black	PU	63g/m2		
PALM		Black	Nylon	160g/m2	13gauges/ inch	
BACK		Black	Nylon	160g/m2	13gauges/ inch	
LINING						
CUFF		Black	Nylon	360g/m2	13gauges/ inch	
BINDING		Black	Polyester			

# **PROTECTION SCOPE**

This glove meets the essential requirements of the Personal Protection Equipment Directive (89/686/CE).

This glove is designed for mechanical risks.

It is a category II product.

#### **GENERAL REQUIREMENTS**

#### Standard EN 420 : 2003 + A1 : 2009

Dexterity:

5

PH of glove and lining is greater than 3.5 and lower than 9.5:

yes

Chromium VI lower than the detection limit:

conform

Size:

conform

At the date of certificate, the product is in compliance with Annex XVII of European REACh regulation (552/2009/EC and associated revisions)

# SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

#### Mechanical hazard EN 388 : 2003

Protection offered	Performance levels
Abrasion resistance	4
Blade cut resistance	1
Tear strength resistance	3
Puncture resistance	1

### **TEST REPORTS**

Laboratory	CTC Asia	CTC France	Other
EN 420	SH62092R1-12, SH62639-12		SH62092R1-12
Azo	SH62092R1-12		
EN 388	SH62092R1-12		

### **MARKING - PACKAGING**

### Information printed on the glove:

Logo of the authorized representative :

Logo (€

Glove's reference: PU3104

Size indicator

Pictograms related to risks against which protection is offered with performance levels Information pictogram

### Marking example:

星 宇® XING YU

ART. PU3104 SIZE: 10/XL



EN 388

# Method of marking on the glove:

printed on the back

### Packaging:

1 doz/pe bag,20 doz/carton

#### MEANS OF CONTROL

we control the quality according to the requirment of ISO9001

